


Hutchinson et al.


Appl. No.: 10/705,748

Atty Docket: APTLTD.044A




Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A



Hutchinson et al.


Appl. No.: 10/705,748 Atty Docket: APTLTD.044A



INJECTION MOLD HAVING A WEAR RESISTANT PORTION AND A HIGH HEAT TRANSFER PORTION


Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A



Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A



Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A





FIG. 6

INJECTION MOLD HAVING A WEAR RESISTANT PORTION AND A HIGH HEAT TRANSFER PORTION

Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A



Hutchinson et al.
748 Athy Docket, APTI TD 04

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A




FIG.8




FIG. 9

Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A




FIG. 10





FIG. 11

INJECTION MOLD HAVING A WEAR RESISTANT PORTION AND A HIGH HEAT TRANSFER PORTION Hutchinson et al. 48 Atty Docket: APTLTD.044A

Appl. No.: 10/705,748



Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A

11/16




FIG. 14

Appl. No.: 10/705,748

Atty Docket: APTLTD.044A




FIG. 15

Hutchinson et al.

Appl. No.: 10/705,748 A

Atty Docket: APTLTD.044A




FIG. 16





FIG. 17

Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A



Hutchinson et al.

Appl. No.: 10/705,748 Atty Docket: APTLTD.044A




FIG. 19

Hutchinson et al.
Appl. No.: 10/705,748 Atty Docket: APTLTD.044A




FIG. 20